



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



RCD113BK Radiant 3 Switch SP/3-Way + SP + SP BK

Pass & Seymour/Legrand

| | |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Catalog Number | RCD113BK |
| Manufacturer | Pass & Seymour/Legrand |
| Description | More Control, Less Space. This Combination Switch Provides Control Of Multiple Lights or Devices From A Single Location, While Featuring An Oversized Primary Switch For Easy Use. Designed to Emulate The Sleek Lines Of The Collection'S Paddle Switches, It Delivers Flexible, Space-Saving Control With The Sophisticated Look Of Radiant. Made Exclusively For Use With Screwless Wall Plates From The Radiant® Collection, Sold Separately. |
| Weight per unit | 0.2083 (lbs/each) |
| Product Category | Gen Purpose Switches |

Features

| | |
|-----------------------|---------------------|
| actuator | Rocker switch |
| amperage rating | 15 |
| Contact Configuration | 15A |
| Contact Rating | 15 Amp, 120/125 VAC |
| media | Yes |
| Mounting Type | Box |
| Number of Gangs | 1.0 |
| Number of Switches | 3.0 |
| operating cycles | 50000 |
| Poles | 3-Way, 1 |
| Switch Type | Push |
| Voltage | 120.0 V |
| Voltage Rating | 120 |
| Wire Size | #14 - #10 Awg |

Material, Color, and Finish

| | |
|--------|-------|
| Finish | Matte |
|--------|-------|

Dimensions and Weight

| | |
|------|------------------------------------------|
| Size | Depth 1.43" x Width 1.29" x Height 3.81" |
|------|------------------------------------------|



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

Descriptions

| | |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Description | RADIANT 3 SWITCH SP/3-WAY + SP + SP BK |
| extra long description | P&S RCD113BK RADIANT 3 SWITCH, SP/3 |
| Features | Locator Light, Combination |
| Long Description | More control, less space. This combination switch provides control of multiple lights or devices from a single location, while featuring an oversized primary switch for easy use. Designed to emulate the sleek lines of the collection's paddle switches, it delivers flexible, space-saving control with the sophisticated look of radiant. Made exclusively for use with screwless Wall Plates from the radiant® Collection, sold separately. |
| Product Type | Radiant 3 Switch, SP/3-Way + SP + SP BK |
| Special Features | The radiant® collection is a step up from the standard with simple, classic options in wiring devices, home automation controls and screwless wall plates that complement today's homes. Unique "Up/Down" switches match the look and feel of radiant paddle switches. |

Manufacturer Information

| | |
|---------------------------|------------------------|
| Brand | LEGRAND-PASS & SEYMOUR |
| GTIN | 00785007054736 |
| Manufacturers Part Number | RCD113BK |
| UPC | 785007054736 |

Taxonomies, Classifications, and Categories

| | |
|----------------------|--------------------|
| Category Description | Residential plates |
| Type | SWITCH |

Trade Size

| | |
|----------|------|
| Amperage | 15.0 |
|----------|------|

Packaging

| | |
|-----------------|--------|
| Carton | 1 |
| Package | 12 |
| Weight Per each | 0.2083 |

Uses, Certifications, and Standards

| | |
|--------------------------|------------------------------------------|
| Application | Residential |
| environmental conditions | UL94 V2 |
| Mounting | BOX |
| Operating Temperature | Maximum continuous +115°C, minimum -40°C |
| standard | CULUS, UL, cULus, UL Listed |