

# Specifications

## Eaton REN-20

Eaton Bussmann series REN fuse, time lag, non current-limiting, Industrial and commercial structures, 20 A, Class H, Non-indicating, Ferrule end x ferrule end, 10 kAIC, Standard, 10, 250 V



Photo is representative



### General specifications

PRODUCT NAME	Eaton Bussmann series REN fuse
CATALOG NUMBER	REN-20
UPC	051712100205
EAN	5027590098250
PRODUCT LENGTH/DEPTH	0.56 in
PRODUCT HEIGHT	2 in
PRODUCT WIDTH	0.56 in
PRODUCT WEIGHT	0.41 lb
WARRANTY	Not Applicable
COMPLIANCES	Not Applicable RoHS Compliant

Electrical rating	
AMPERAGE RATING	20 A
INTERRUPT RATING	10 kAIC
VOLTAGE RATING	250 V

Physical details	
PACKAGING TYPE	Standard

General information	
CLASS	Class H
CONNECTION	Ferrule end x ferrule end
FUSE INDICATOR	Non-indicating
QUANTITY	10
SPECIAL FEATURES	Super lag, time lag, non current-limiting

Resources	
CATALOGS	<a href="#">Bussmann series complete full line catalog no. 1007</a> <a href="#">REN-20~SUPER LAG RENEWABLE FUSE 20/250</a>
MULTIMEDIA	<a href="#">Bussmann series Fuseology</a>
SPECIFICATIONS AND DATASHEETS	<a href="#">Eaton Specification Sheet - REN-20</a>

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



**Eaton Corporation plc**  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Follow us on social media to get the latest product and support information.



# Specifications

## Eaton REN-20

Eaton Bussmann series REN fuse, time lag, non current-limiting, Industrial and commercial structures, 20 A, Class H, Non-indicating, Ferrule end x ferrule end, 10 kAIC, Standard, 10, 250 V



Photo is representative



### General specifications

PRODUCT NAME	Eaton Bussmann series REN fuse
CATALOG NUMBER	REN-20
UPC	051712100205
EAN	5027590098250
PRODUCT LENGTH/DEPTH	0.56 in
PRODUCT HEIGHT	2 in
PRODUCT WIDTH	0.56 in
PRODUCT WEIGHT	0.41 lb
WARRANTY	Not Applicable
COMPLIANCES	Not Applicable RoHS Compliant

Electrical rating	
AMPERAGE RATING	20 A
INTERRUPT RATING	10 kAIC
VOLTAGE RATING	250 V

Physical details	
PACKAGING TYPE	Standard

General information	
CLASS	Class H
CONNECTION	Ferrule end x ferrule end
FUSE INDICATOR	Non-indicating
QUANTITY	10
SPECIAL FEATURES	Super lag, time lag, non current-limiting

Resources	
CATALOGS	<a href="#">Bussmann series complete full line catalog no. 1007</a> <a href="#">REN-20~SUPER LAG RENEWABLE FUSE 20/250</a>
MULTIMEDIA	<a href="#">Bussmann series Fuseology</a>
SPECIFICATIONS AND DATASHEETS	<a href="#">Eaton Specification Sheet - REN-20</a>

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



**Eaton Corporation plc**  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Follow us on social media to get the latest product and support information.

