# **Specifications**





## Eaton REN-60

Eaton Bussmann series REN fuse, time lag, non current-limiting, Industrial and commercial structures, 60 A, Class H, Nonindicating, Ferrule end x ferrule end, 10 kAIC, Standard, 10, 250 V

General specifications	
PRODUCT NAME	Eaton Bussmann series REN fuse
CATALOG NUMBER	REN-60
UPC	051712100601
PRODUCT LENGTH/DEPTH	0.82 in
PRODUCT HEIGHT	3 in
PRODUCT WIDTH	3 in
PRODUCT WEIGHT	1.4 lb
WARRANTY	Not Applicable
COMPLIANCES	Not Applicable



Electrical rating	
AMPERAGE RATING	60 A
INTERRUPT RATING	10 kAIC
VOLTAGE RATING	250 V

Physical details	
PACKAGING TYPE	Standard

General information	
CLASS	Class H
CONNECTION	Ferrule end x ferrule end
FUSE INDICATOR	Non-indicating
QUANTITY	10
SPECIAL FEATURES	Super lag, time lag, non current-limiting

Resources	
CATALOGS	Bussmann series complete full line catalog no. 1007
	<u>REN-60~SUPER LAG</u> <u>RENEWABLE FUSE 60/250</u>
MULTIMEDIA	Bussmann series Fuseology
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - <u>REN-60</u>

#### **PROJECT NAME:**

**PROJECT NUMBER:** 

### PREPARED BY:

DATE:



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

© 2025 Eaton. All Rights

Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Follow us on social media to get the latest product and support information.



# **Specifications**





## Eaton REN-60

Eaton Bussmann series REN fuse, time lag, non current-limiting, Industrial and commercial structures, 60 A, Class H, Nonindicating, Ferrule end x ferrule end, 10 kAIC, Standard, 10, 250 V

General specifications	
PRODUCT NAME	Eaton Bussmann series REN fuse
CATALOG NUMBER	REN-60
UPC	051712100601
PRODUCT LENGTH/DEPTH	0.82 in
PRODUCT HEIGHT	3 in
PRODUCT WIDTH	3 in
PRODUCT WEIGHT	1.4 lb
WARRANTY	Not Applicable
COMPLIANCES	Not Applicable



Electrical rating	
AMPERAGE RATING	60 A
INTERRUPT RATING	10 kAIC
VOLTAGE RATING	250 V

Physical details	
PACKAGING TYPE	Standard

General information	
CLASS	Class H
CONNECTION	Ferrule end x ferrule end
FUSE INDICATOR	Non-indicating
QUANTITY	10
SPECIAL FEATURES	Super lag, time lag, non current-limiting

Resources	
CATALOGS	Bussmann series complete full line catalog no. 1007
	<u>REN-60~SUPER LAG</u> <u>RENEWABLE FUSE 60/250</u>
MULTIMEDIA	Bussmann series Fuseology
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - <u>REN-60</u>

#### **PROJECT NAME:**

**PROJECT NUMBER:** 

### PREPARED BY:

DATE:



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

© 2025 Eaton. All Rights

Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Follow us on social media to get the latest product and support information.

