



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



RM4 Relay Module

BRK Brands/Ademco/First Alert

| | |
|------------------|---|
| Catalog Number | RM4 |
| Manufacturer | BRK Brands/Ademco/First Alert |
| Description | Relay Module For Smoke and "Smart Interconnect" CO Alarms |
| Weight per unit | 0.2500 (lbs/each) |
| Product Category | In Relays & Accessories |

Features

| | |
|-----------------------|--|
| amperage rating | 0.02 |
| Contact Configuration | Form C normally open or normally closed |
| Contact Rating | Maximum 120V AC, 15 amp 1/3 horsepower motor, Minimum 30V, DC 15 amp |

Material, Color, and Finish

| | |
|-------|-------|
| Color | Black |
|-------|-------|

Dimensions and Weight

| | |
|--------|-----|
| Height | 1.5 |
|--------|-----|

Descriptions

| | |
|------------------------|--|
| Description | RELAY MODULE |
| extra long description | BRK RM4 120V AC Smart Relay |
| Features | Relay Module |
| Long Description | Relay Module for Smoke and "Smart Interconnect" CO Alarms |
| Product Type | 120V Ac Smart Relay |
| Special Features | Interconnects Up to 18 units of First Alert or BRK Smoke, CO and Heat Alarms. Maximum of 12 smoke alarms. See user's manual for details. |

Manufacturer Information

| | |
|-------|----------------|
| Brand | BRK |
| GTIN | 00029054000576 |
| UPC | 029054000576 |

Taxonomies, Classifications, and Categories

| | |
|----------------------|-----------------|
| Category Description | SMOKE DETECTORS |
| Type | BRK Alarm Relay |

Packaging

| | |
|-----------------|------|
| Carton | 1 |
| Weight Per each | 0.25 |



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

Uses, Certifications, and Standards

Application

This accessory relay is designed to activate auxiliary devices such as bells, lights and door closers. The RM4 Relay is intended for use with BRK and First Alert Smoke, Heat, and Carbon Monoxide Alarms.

Enclosure

Shrink wrapped heat resistant material

environmental conditions

10 percent to 90 percent relative humidity (RH)

Mounting

Mounts Inside Junction Box

standard

UL217, UL2034