

Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

RSCND304075 3/4 Robroy/Stainless Steel	RSCND304075 3/4" 304SS Conduit 10' Robroy/Stainless Steel	
Catalog Number	RSCND304075	
Manufacturer	Robroy/Stainless Steel	
Description	Robroy Stainless Rigid Conduit Is Designed to Provide Protection For Wiring and Cable In Electrical Systems and Withstand Harsh Corrosive Environments. Conduit Is Available In 304 or 316 and Polished to A Bright Finish Allowing For A Surface That Requires Minimal Cleaning and Meets Sanitary Requirements. Each 10' Length Of Conduit Is Threaded At Both Ends and Supplied With One Coupling.	
Weight per unit		
Product Category	Flexible Metallic Conduit	
Features		
fitting type	Conduit	
Material, Color, and Finish Finish	Brushed	
Dimensions and Weight		
Length	120	
Width	1.05	
Descriptions		
Description	3/4" 304SS CONDUIT 10'	
extra long description	ROB-R CND304-075 COND 3/4" 304	
Long Description	Robroy Stainless Rigid Conduit is designed to provide protectio for wiring and cable in electrical systems and withstand harsh corrosive environments. Conduit is available in 304 or 316 and polished to a bright finish allowing for a surface that requires minimal cleaning and meets sanitary requirements. Each 10' length of conduit is threaded at both ends and supplied with or coupling.	
Product Type	Cond 3/4" 304	
Manufacturer Information		
Brand	Robroy Stainless	
GTIN	00784011900411	
Manufacturers Part Number	CND304-075	
UPC	784011900411	
Taxonomies, Classifications, and (Categories	
	Stainless Steel EMT Conduit	
Туре	CONDUIT	



ELLIOT ELECTRIC SUPPLY Mar Deliver Lower Cost Quality Products, & Personal Service 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Trade Size Trade Size	3/4	
Availability minimum qty		
Packaging	10	
Weight	1.15	
Weight Per foot	115	
Uses Certifications and Stan		

Uses, Certifications, and Standards

standard	UL 6A, E98405, CSA C22.2 No. 45.2-08
----------	--------------------------------------