# Eaton STL61A433CH

## Catalog Number: STL61A433CH

Eaton meter socket, Transformer rated socket, 20A, Under, Solid top, Six-jaw, Pre-wired test switch, 600 Vac

### General specifications



Eaton meter socket

UPC

786685703411

**Product Height** 

21.8 in

**Product Weight** 

25 lb

Catalog Number

STL61A433CH

Product Length/Depth

5.3 in

**Product Width** 

12.6 in

Warranty

Eaton Selling Policy 25-000, one (1) year

from the date of installation of the

Product or eighteen (18) months from the

date of shipment of the Product,

whichever occurs first.

Certifications

UL Listed Au:

Catalog Notes

Austin Energy Approved, tranformer

rated



### default Taxonomy Attribute Label

Type

Transformer rated socket

Amperage Rating

20A

Feed type

**Bottom** 

Number of jaws

Six-jaw

Voltage rating

600 V

Accessories

Pre-wired test switch

Number of sockets

1

#### Resources

**Drawings** 

Dimensional Drawing - SKT/SW 20A 6T FW ST

Specifications and datasheets

Eaton Specification Sheet - STL61A433CH

Warranty guides

Selling Policy 25-000 - Distribution and Control Products and Services



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



# Eaton STL61A433CH

## Catalog Number: STL61A433CH

Eaton meter socket, Transformer rated socket, 20A, Under, Solid top, Six-jaw, Pre-wired test switch, 600 Vac

### General specifications



Eaton meter socket

UPC

786685703411

**Product Height** 

21.8 in

**Product Weight** 

25 lb

Catalog Number

STL61A433CH

Product Length/Depth

5.3 in

**Product Width** 

12.6 in

Warranty

Eaton Selling Policy 25-000, one (1) year

from the date of installation of the

Product or eighteen (18) months from the

date of shipment of the Product,

whichever occurs first.

Certifications

UL Listed Au:

Catalog Notes

Austin Energy Approved, tranformer

rated



### default Taxonomy Attribute Label

Type

Transformer rated socket

Amperage Rating

20A

Feed type

**Bottom** 

Number of jaws

Six-jaw

Voltage rating

600 V

Accessories

Pre-wired test switch

Number of sockets

1

#### Resources

**Drawings** 

Dimensional Drawing - SKT/SW 20A 6T FW ST

Specifications and datasheets

Eaton Specification Sheet - STL61A433CH

Warranty guides

Selling Policy 25-000 - Distribution and Control Products and Services



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.

