



- Concrete Tight
- Zinc Plated



- Concrete Tight
- Zinc Plated



- Concrete Tight, when taped
- Zinc Plated

### Set Screw Connectors – Steel, Noninsulated



Cat. No.	Conduit Size	A	B	Std. Ctn.
TC-121-SC	1/2"	1 1/32"	15/16"	500
TC-122-SC	3/4"	1 5/32"	1 3/16"	250
TC-123-SC	1"	1 25/32"	1 9/64"	100
TC-124-SC	1 1/4"	2 3/8"	1 19/32"	25
TC-125-SC	1 1/2"	2 1/2"	1 7/8"	25
TC-126-SC	2"	2 5/8"	2 11/32"	25
TC-127-SC	2 1/2"	3 13/32"	3 5/32"	10
TC-128-SC	3"	3 41/64"	3 25/32"	5
TC-129-SC	3 1/2"	3 29/32"	4 5/32"	5
TC-1210-SC	4"	3 15/32"	4 25/32"	5

U.L. File No. E-16592

### Set Screw Connectors – Steel, Insulated



Cat. No.	Conduit Size	A	B	Std. Ctn.
TC-721	1/2"	1 11/32"	15/16"	500
TC-722	3/4"	1 5/32"	1 3/16"	250
TC-723	1"	1 25/32"	1 9/64"	100
TC-724	1 1/4"	2 3/8"	1 19/32"	25
TC-725	1 1/2"	2 1/2"	1 7/8"	25
TC-726	2"	2 5/8"	2 11/32"	25
TC-727	2 1/2"	3 13/32"	3 5/32"	10
TC-728	3"	3 41/64"	3 25/32"	5
TC-729	3 1/2"	3 29/32"	4 5/32"	5
TC-7210	4"	3 15/32"	4 25/32"	5

U.L. File No. E-16592

### Set Screw Couplings – Steel



Cat. No.	Conduit Size	A	B	Std. Ctn.
TK-121	1/2"	1 3/16"	1 11/16"	500
TK-122	3/4"	1 1/32"	1 7/8"	250
TK-123	1"	1 9/32"	2 1/4"	100
TK-124	1 1/4"	1 21/32"	2 13/16"	25
TK-125	1 1/2"	1 7/8"	3 1/16"	25
TK-126	2"	2 11/32"	3 3/16"	25
TK-127	2 1/2"	4 9/32"	3 5/32"	10
TK-128	3"	4 1/2"	3 29/32"	5
TK-129	3 1/2"	4 11/16"	4 9/32"	5
TK-1210	4"	4 29/32"	4 25/32"	5

U.L. File No. E-16592

### Here's How The Steel City Part Number System Works

#### Easy to identify alphabetical prefixes:

**BG** – Bushings, Grounding  
**BI** – Bushings, Insulated  
**BL** – Blanks  
**BU** – Bushings  
**CB** – Clamp Back  
**EK** – 3 Piece Coupling  
**GA** – Ground Clamp (armored ground wire)  
**GC** – Ground Clamp  
**HA** – Heavywall Adapter  
**HC** – Heavywall Connector  
**HK** – Heavywall Coupling  
**HO** – Heavywall Offset  
**HS** – Heavywall Strap  
**LG** – Locknut, Grounding  
**LN** – Locknut  
**LT** – Liquidtight  
**NC** – Nonmetallic Sheathed Cable Connector  
**NS** – Nonmetallic Sheathed Cable Strap  
**SH** – Service Entrance Fitting  
**SL** – Service Ells  
**SR** – Sealing Rings  
**LS** – Locknut, Sealing  
**TC** – Thinwall Connectors  
**TK** – Thinwall Couplings  
**TO** – Thinwall Offset  
**TS** – Thinwall Strap  
**TX** – Thinwall to Flexible Metallic Conduit Fitting  
**UC** – Utility Connector  
**WA** – Washer  
**XC** – Armored Cable or Flexible Metallic Conduit Connector  
**XK** – Armored Cable or Flexible Metallic Conduit Coupling

#### 1st Digit – Material

**1** = Steel  
**2** = Die Cast  
**3** = Combination Steel and Die Cast  
**4** = Malleable  
**5** = Plastic  
**6** = Aluminum  
**7** = Steel Insulated  
**8** = Die Cast Insulated  
**9** = Malleable insulated

#### 2nd Digit – Method

**1** = Compression  
**2** = Set Screw  
**3** = Other

#### 3rd/4th Digit Size

**1** = 1/8"  
**2** = 3/8"  
**3** = 1"  
**4** = 1 1/4"  
**5** = 1 3/8"  
**6** = 2"  
**7** = 2 3/8"  
**8** = 3"  
**9** = 3 3/8"  
**10** = 4"  
**11** = 5"  
**12** = 6"


A few examples of the three digit identification system for thinwall fittings are:

TK-111 1/8" steel, compression type coupling  
TC-714 1 1/4" steel insulated compression type connector  
TC-822 3/4" die cast, insulated, set-screw type connector

(NOTE: – "SC" suffix represents Steel City® brand name products for some parts in this product line.)

#### **STEEL CITY/THOMAS & BETTS CONDUIT FITTINGS**

Federal Specification W-C-586  
Federal Specification A-A-50552 (Superceding WF-406)  
Federal Specification A-A-50553 (Superceding WF-408)  
NEMA Standard FB-1  
(Formerly ANSI C80.4)  
Underwriters Laboratories, Inc., Standards ANSI UL-514B  
Canadian Standards Association C22.2 No. 18




- Concrete Tight
- Zinc Plated

### Set Screw Connectors – Steel, Noninsulated



Cat. No.	Conduit Size	A	B	Std. Ctn.
TC-121-SC	1/2"	1 1/32"	15/16"	500
TC-122-SC	3/4"	1 5/32"	1 3/16"	250
TC-123-SC	1"	1 25/32"	1 9/64"	100
TC-124-SC	1 1/4"	2 3/8"	1 19/32"	25
TC-125-SC	1 1/2"	2 1/2"	1 7/8"	25
TC-126-SC	2"	2 5/8"	2 11/32"	25
TC-127-SC	2 1/2"	3 13/32"	3 5/32"	10
TC-128-SC	3"	3 41/64"	3 25/32"	5
TC-129-SC	3 1/2"	3 29/32"	4 5/32"	5
TC-1210-SC	4"	3 15/32"	4 25/32"	5

U.L. File No. E-16592




- Concrete Tight
- Zinc Plated

### Set Screw Connectors – Steel, Insulated



Cat. No.	Conduit Size	A	B	Std. Ctn.
TC-721	1/2"	1 11/32"	15/16"	500
TC-722	3/4"	1 5/32"	1 3/16"	250
TC-723	1"	1 25/32"	1 9/64"	100
TC-724	1 1/4"	2 3/8"	1 19/32"	25
TC-725	1 1/2"	2 1/2"	1 7/8"	25
TC-726	2"	2 5/8"	2 11/32"	25
TC-727	2 1/2"	3 13/32"	3 5/32"	10
TC-728	3"	3 41/64"	3 25/32"	5
TC-729	3 1/2"	3 29/32"	4 5/32"	5
TC-7210	4"	3 15/32"	4 25/32"	5

U.L. File No. E-16592



- Concrete Tight, when taped
- Zinc Plated

### Set Screw Couplings – Steel



Cat. No.	Conduit Size	A	B	Std. Ctn.
TK-121	1/2"	1 3/16"	1 11/16"	500
TK-122	3/4"	1 1/32"	1 7/8"	250
TK-123	1"	1 9/32"	2 1/4"	100
TK-124	1 1/4"	1 21/32"	2 13/16"	25
TK-125	1 1/2"	1 7/8"	3 1/16"	25
TK-126	2"	2 11/32"	3 3/16"	25
TK-127	2 1/2"	4 9/32"	3 5/32"	10
TK-128	3"	4 1/2"	3 29/32"	5
TK-129	3 1/2"	4 11/16"	4 9/32"	5
TK-1210	4"	4 29/32"	4 25/32"	5

U.L. File No. E-16592

### Here's How The Steel City Part Number System Works

#### Easy to identify alphabetical prefixes:

**BG** – Bushings, Grounding  
**BI** – Bushings, Insulated  
**BL** – Blanks  
**BU** – Bushings  
**CB** – Clamp Back  
**EK** – 3 Piece Coupling  
**GA** – Ground Clamp (armored ground wire)  
**GC** – Ground Clamp  
**HA** – Heavywall Adapter  
**HC** – Heavywall Connector  
**HK** – Heavywall Coupling  
**HO** – Heavywall Offset  
**HS** – Heavywall Strap  
**LG** – Locknut, Grounding  
**LN** – Locknut  
**LT** – Liquidtight  
**NC** – Nonmetallic Sheathed Cable Connector  
**NS** – Nonmetallic Sheathed Cable Strap  
**SH** – Service Entrance Fitting  
**SL** – Service Ells  
**SR** – Sealing Rings  
**LS** – Locknut, Sealing  
**TC** – Thinwall Connectors  
**TK** – Thinwall Couplings  
**TO** – Thinwall Offset  
**TS** – Thinwall Strap  
**TX** – Thinwall to Flexible Metallic Conduit Fitting  
**UC** – Utility Connector  
**WA** – Washer  
**XC** – Armored Cable or Flexible Metallic Conduit Connector  
**XK** – Armored Cable or Flexible Metallic Conduit Coupling

#### 1st Digit – Material

**1** = Steel  
**2** = Die Cast  
**3** = Combination Steel and Die Cast  
**4** = Malleable  
**5** = Plastic  
**6** = Aluminum  
**7** = Steel Insulated  
**8** = Die Cast Insulated  
**9** = Malleable insulated

#### 2nd Digit – Method

**1** = Compression  
**2** = Set Screw  
**3** = Other

#### 3rd/4th Digit Size

**1** = 1/8"  
**2** = 3/8"  
**3** = 1"  
**4** = 1 1/4"  
**5** = 1 3/8"  
**6** = 2"  
**7** = 2 3/8"  
**8** = 3"  
**9** = 3 3/8"  
**10** = 4"  
**11** = 5"  
**12** = 6"

A few examples of the three digit identification system for thinwall fittings are:

TK-111 1/8" steel, compression type coupling  
TC-714 1 1/4" steel insulated compression type connector  
TC-822 3/4" die cast, insulated, set-screw type connector

(NOTE: – "SC" suffix represents Steel City® brand name products for some parts in this product line.)

#### **STEEL CITY/THOMAS & BETTS CONDUIT FITTINGS**

Federal Specification W-C-586  
Federal Specification A-A-50552 (Superceding WF-406)  
Federal Specification A-A-50553 (Superceding WF-408)  
NEMA Standard FB-1  
(Formerly ANSI C80.4)  
Underwriters Laboratories, Inc., Standards ANSI UL-514B  
Canadian Standards Association C22.2 No. 18