

GTIN

UPC

Manufacturers Part Number

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

TSC1 TSC Epoxy Sealing Compound 1 0 Oz Tube Oty 10

Catalog Number	TSC1
Manufacturer	Crouse Llinde
Description	Eaton Crouse-Hinds Series TSC Epoxy Sealing Compound, 1.0 O Tube, Quantity Of 10
Weight per unit	0.9000 (lbs/each)
Product Category	Paint, Chemicals, Etc.
eatures	
dimensions	6.6300 IN X 5.1300 IN X 4.5000 IN
Form	
Material	[now
specific gravity	
Temperature Range	90 Deg F (Storage)
laterial, Color, and Finish	
Color	Green
mensions and Weight	
Size	1 Oz
escriptions	······································
Description	TSC EPOXY SEALING COMPOUND, 1.0 OZ TUBE, QTY 10
extra long description	CRS-H TSC1 10 1.0 OZ TUBE TSC EPOXY
Features	ES explosionproof sealing hubs from Eaton Crouse-Hinds Divisi are used to seal vertical conduit risers at switchgear and motor control centers, sheet metal structures or cast boxes and enclosures. When used with TSC sealing compound, ES hubs c seal horizontal conduit runs at enclosures. TSC epoxy sealing compound is a two-part epoxy sealing compound that may be used to seal ES sealing hubs. It is quick and easy to measure, n and install. The compound is kneaded until a uniform color is obtained.
Long Description	Eaton Crouse-Hinds series TSC epoxy sealing compound, 1.0 oz tube, quantity of 10
Product Type	10 1.0 Oz Tube TSC Epoxy Seal Compound
5.	Explosionproof, Watertight
Product Type Special Features /lanufacturer Information	
Brand	Eaton
Didila	

00782274414775

782274414775

TSC1



Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Taxonomies, Classifications, and Categories

Category Description	ADHESIVES
Туре	Epoxy sealing compound
Packaging Carton	1
Weight Per each	0.9
Uses, Certifications, and Standards Application	Ind Facilities & Factories - Industrial Facilities/Factories - Other
standard	UL 886, CSA C22.2