

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

TY525MCLRS Multclr Nyl CBL Tie Abb Installation Products, Inc

Category Description

Type

IIIIIIIII	
Catalog Number	TY525MCLRS
Manufacturer	Abb Installation Products, Inc
Description	High Performance Cable Tie, Multiple Color Pack (Nylon 6.6) For Temperatures Up to 85 Degrees Celsius (185 F) For Indoor Applications, Length Of 183MM (7.2 Inches), Width Of 4.8MM (0.19 Inch), Tensile Strength Rating Of 222 Newtons (50 Pounds), 100 Pack Of 10 (Each) Standard Colors
Weight per unit	0.0040 (lbs/each)
Product Category	Cable Ties & Wraps
Features	
Tensile Strength	50;222
Dimensions and Weight	
Length	7.20000000000000
Thickness	0.0500000000000
Width	0.19000000000000
Descriptions	
Description	MULTCLR NYL CBL TIE
extra long description	ABB TY525M-CLRS CABLE TIE 50LB 7IN
Long Description	High Performance Cable Tie, Multiple Color Pack (Nylon 6.6) for
	Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, Length of 183mm (7.2 Inches), Width of 4.8mm (0.19 Inch), Tensile Strength Rating of 222 Newtons (50 Pounds), 100 Pack of 10 (Each) Standard Colors
Product Type	Cable Tie 50LB 7IN PK Multi-Colors
Special Features	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time
Manufacturer Information	
Brand	Ty-Fast
GTIN	00786210932453
Manufacturers Part Number	TY525M-CLRS
UPC	786210932453

HIGH PERFORMANCE

Screws, Bolts, Staples, Jack Chains, Washers & TY-Raps



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Availability minimum qty	100
Packaging	
Carton	100
Package	1000
Weight Per package	0.004
Uses, Certifications, and Standards	
standard	UL E49405