



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.  
75964-0000, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685



## TYC27MX Cable Tie 85LB 13IN Uv BLK Nylon 12

*Abb Installation Products, Inc*

Catalog Number	TYC27MX
Manufacturer	Abb Installation Products, Inc
Description	Cable Tie, Black Polyamide (Nylon 12) For Temperatures Up to 85 Degrees Celsius (185 F), Weather and Ultraviolet Resistant For Indoor and Outdoor Applications, Length Of 343MM (13.5 Inches), Width Of 7.4MM (0.29 Inches), Thickness Of 1.6MM (0.05 Inches), Tensile Strength Rating Of 380 Newtons (85 Pounds), Bulk Pack
Weight per unit	0.0088 (lbs/each)
Product Category	Cable Ties & Wraps

### Features

Tensile Strength	90
------------------	----

### Dimensions and Weight

Length	13.5
Thickness	0.06
Width	0.29

### Descriptions

Description	CABLE TIE 85LB 13IN UV BLK NYLON 12
extra long description	ABB TYC27MX CABLE TIE 85LB 13IN UV
Long Description	Cable Tie, Black Polyamide (Nylon 12) for Temperatures up to 85 Degrees Celsius (185 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, Length of 343mm (13.5 Inches), Width of 7.4mm (0.29 Inches), Thickness of 1.6mm (0.05 Inches), Tensile Strength Rating of 380 Newtons (85 Pounds), Bulk Pack
Product Type	Cable Tie 85LB 13IN Uv BLK Nylon 12
Special Features	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time

### Manufacturer Information

Brand	Ty-Rap
GTIN	00786210848013
Manufacturers Part Number	TYC27MX
UPC	786210848013

### Taxonomies, Classifications, and Categories

Type	HIGH PERFORMANCE
------	------------------



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.  
75964-0000, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685

## Packaging

Carton	500
Package	1000
Weight Per each	0.00875