



**Atlanta, Georgia**

**Phone 800-521-7326**

**Fax 770-745-1333**

**sales@pecofasteners.com**

### **Conduit Pull Tape**

**Printed With Sequential Footage Markings For Accurate Measurements**

| <b>Peco Catalog#</b> | <b>UPC</b>     | <b>Tensile</b> | <b>Length</b> |
|----------------------|----------------|----------------|---------------|
| WP1250-500P          | 705591 85015 6 | 1250 LB        | 500 Feet      |
| WP1250-1.5P          | 705591 85030 9 | 1250 LB        | 1500 Feet     |
| WP1250-3P            | 705591 85045 3 | 1250 LB        | 3000 Feet     |
| WP1800-500P          | 705591 85020 0 | 1800 LB        | 500 Feet      |
| WP1800-1.5P          | 705591 85035 4 | 1800 LB        | 1500 Feet     |
| WP1800-3P            | 705591 85050 7 | 1800 LB        | 3000 Feet     |
| WP2500-400P          | 705591 85025 5 | 2500 LB        | 400 Feet      |
| WP2500-1.5P          | 705591 85040 8 | 2500 LB        | 1500 Feet     |
| WP2500-3P            | 705591 85055 2 | 2500 LB        | 3000 Feet     |

**Polyester Fiber Pull Tape is a flat, woven polyester tape used for pulling a variety of cable types through underground conduit. It is produced using high tensile, high tenacity, low shrink polyester fibers that distributes heat across a wide, flat profile. This is the most competitively priced high tensile strength pull tape.**

**Polyester Fiber Pull Tapes have not been found to experience any breakdown of fibers which would result in a loss of tensile strength while in water. This material has even been used in applications where the material was left inside underground conduit for several years prior to pulling.**



**Atlanta, Georgia**

**Phone 800-521-7326**

**Fax 770-745-1333**

**sales@pecofasteners.com**

### **Conduit Pull Tape**

**Printed With Sequential Footage Markings For Accurate Measurements**

| <b>Peco Catalog#</b> | <b>UPC</b>     | <b>Tensile</b> | <b>Length</b> |
|----------------------|----------------|----------------|---------------|
| WP1250-500P          | 705591 85015 6 | 1250 LB        | 500 Feet      |
| WP1250-1.5P          | 705591 85030 9 | 1250 LB        | 1500 Feet     |
| WP1250-3P            | 705591 85045 3 | 1250 LB        | 3000 Feet     |
| WP1800-500P          | 705591 85020 0 | 1800 LB        | 500 Feet      |
| WP1800-1.5P          | 705591 85035 4 | 1800 LB        | 1500 Feet     |
| WP1800-3P            | 705591 85050 7 | 1800 LB        | 3000 Feet     |
| WP2500-400P          | 705591 85025 5 | 2500 LB        | 400 Feet      |
| WP2500-1.5P          | 705591 85040 8 | 2500 LB        | 1500 Feet     |
| WP2500-3P            | 705591 85055 2 | 2500 LB        | 3000 Feet     |

**Polyester Fiber Pull Tape is a flat, woven polyester tape used for pulling a variety of cable types through underground conduit. It is produced using high tensile, high tenacity, low shrink polyester fibers that distributes heat across a wide, flat profile. This is the most competitively priced high tensile strength pull tape.**

**Polyester Fiber Pull Tapes have not been found to experience any breakdown of fibers which would result in a loss of tensile strength while in water. This material has even been used in applications where the material was left inside underground conduit for several years prior to pulling.**