

# Specifications

Photo is representative



## Eaton XTOE1P6BCS

Eaton C440 electronic overload relay, XT IEC Electronic Overload Relay, 0.33-1.65A overload range, 45 mm Frame size, NO-NC contact configuration, Direct to contactor mounting, Selectable - 10A, 10, 20, 30 trip type

### General specifications

PRODUCT NAME	Eaton C440 electronic overload relay
CATALOG NUMBER	XTOE1P6BCS
UPC	786685416397
PRODUCT LENGTH/DEPTH	1.77 in
PRODUCT HEIGHT	4.33 in
PRODUCT WIDTH	1.42 in
PRODUCT WEIGHT	0.87 lb
COMPLIANCES	CE Marked RoHS Compliant ATEX Compliant
CERTIFICATIONS	EN 60947 UL Listed CSA Certified IEC 60947

### Product specifications

OVERLOAD RANGE	0.33-1.65A
TYPE	Electronic overload relay
FRAME SIZE	45 mm
MOUNTING METHOD	Direct
CONTACT CONFIGURATION	NO, NC
TRIP TYPE	Selectable 10 A, class 10 ,20, 30

### Resources

BROCHURES	<a href="#">C440 Electronic Overload Relay</a>
SPECIFICATIONS AND DATASHEETS	<a href="#">Eaton Specification Sheet - XTOE1P6BCS</a>

---

**PROJECT NAME:**

**PROJECT NUMBER:**

**PREPARED BY:**

**DATE:**

---



**Eaton Corporation plc**  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Follow us on social media to get the latest product and support information.



# Specifications

Photo is representative



## Eaton XTOE1P6BCS

Eaton C440 electronic overload relay, XT IEC Electronic Overload Relay, 0.33-1.65A overload range, 45 mm Frame size, NO-NC contact configuration, Direct to contactor mounting, Selectable - 10A, 10, 20, 30 trip type

### General specifications

PRODUCT NAME	Eaton C440 electronic overload relay
CATALOG NUMBER	XTOE1P6BCS
UPC	786685416397
PRODUCT LENGTH/DEPTH	1.77 in
PRODUCT HEIGHT	4.33 in
PRODUCT WIDTH	1.42 in
PRODUCT WEIGHT	0.87 lb
COMPLIANCES	CE Marked RoHS Compliant ATEX Compliant
CERTIFICATIONS	EN 60947 UL Listed CSA Certified IEC 60947

### Product specifications

OVERLOAD RANGE	0.33-1.65A
TYPE	Electronic overload relay
FRAME SIZE	45 mm
MOUNTING METHOD	Direct
CONTACT CONFIGURATION	NO, NC
TRIP TYPE	Selectable 10 A, class 10 ,20, 30

### Resources

BROCHURES	<a href="#">C440 Electronic Overload Relay</a>
SPECIFICATIONS AND DATASHEETS	<a href="#">Eaton Specification Sheet - XTOE1P6BCS</a>

---

**PROJECT NAME:**

**PROJECT NUMBER:**

**PREPARED BY:**

**DATE:**

---



**Eaton Corporation plc**  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Follow us on social media to get the latest product and support information.

